


Ulah



Shown in **Viola** with a **Pewter Base** and **Clear Solid Glass Half Orb**

2275 Technical Parkway, N. Charleston, SC 29406
843.996.6915 | info@Riloh.com

RILOH

Ulah





Shown in **Travertine** with a **Pewter Base** and **Frosted Solid Glass Half Orb**

2275 Technical Parkway, N. Charleston, SC 29406
843.996.6915 | info@riloh.com

RILOH



AVAILABLE OPTIONS	DIMENSIONS	LAMPING & INFORMATION
Base..... Brass Pewter Aged Brass Black Brass Aged Pewter Outer Shell Travertine Viola Glass Half Orb Clear Frosted Temperature 2400K 2700K 3000K	Width..... 10.00" Height 10.00" Depth 3.57" Backplate Diameter ... 5.50" Weight 24 lbs Driver is designed to be housed inside a standard round junction box. 	5 watt LED - 30 watt total incandescent 450 Lumen Onboard Driver and LED Module LED life of 50,000 hours <i>27 years of normal use</i> 110V-277V compatible Product is made to order Compatible with LED Dimmer Switches Rated for Damp Locations Custom abilities and options available. Please inquire sales@riloh.com



DIMMABLE



DAMP
LOCATIONS